Printing date 28.11.2019

Version: 6

Revision: 28.11.2019

1.1	Product identifier
Tra	le name: <u>PROTEND</u>
1.2 Sect	cle number: 07120001 Relevant identified uses of the substance or mixture and uses advised against or of Use SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen) luct category PC39 Cosmetics, personal care products
<b>Mar</b> ZEF Tan Wid Unit Tel: Fax @: 1	Details of the supplier of the safety data sheet sufacturer/Supplier: UK Ltd house Lane nes Cheshire, WA8 0RD ed Kingdom +44 (0)151 422 1000 : +44 (0)151 422 1011 info@zep.co.uk : www.zep.co.uk
ZEF Vier 461. The Tel: Fax	P Industries BV linghweg 30 2 PN Bergen op Zoom Netherlands (NL) + 31 164 250 100 (B) + 32 2 347 0117 (NL) + 31 164 266 710 (B) + 32 2 347 1395 sales@zepbenelux.com
Via 040 Tel: Fax @: 1	P ITALIA SRL Netunese Km. 25.000 11 Aprilia (LT) - Italy +39.06.9276691 x +39.06.92747061 zecnico@zepeurope.com x www.zep.it
Cus NL: B: T IT: ' UK: Cus NL: B: T IT: ' UK:	ther information obtainable from: tomer Service Tel: + 31 164 250 100 Fax: + 31 164 266 710 tel: +32 2 347 0117 Fax: +32 2 347 1395 Tel: +39 069 266 91Fax: +39 06.927 470 61 Tel: +44 151 422 1000 Fax: +44 151 422 1011 Emergency telephone number: tomer Service Tel: +31 164 250 100 Fax: + 31 164 266 710 tel: +32 2 347 0117 Fax: +32 2 347 1395 Tel: +39 069 266 91Fax: +39 06.927 470 61 Tel: +44 151 422 1000 Fax: +44 151 422 1011 Tel. 112

· 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

· 2.2 Label elements

• Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. · Hazard pictograms



· Signal word Danger

• Hazard statements H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

Printing date 28.11.2019

Version: 6

Revision: 28.11.2019

Trade name: PROTEND

#### · Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

*P211* Do not spray on an open flame or other ignition source.

- *P251* Do not pierce or burn, even after use.
- P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
- 2.3 Other hazards The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.
- · Results of PBT and vPvB assessment

· PBT: Not applicable.

• vPvB: Not applicable.

# **SECTION 3: Composition/information on ingredients**

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 75-28-5 EINECS: 200-857-2 Reg.nr.: 01-2119485395-27-xxxx	isobutane (<0.1% butadine)	🚸 Flam. Gas 1, H220 Press. Gas C, H280	1-2.5%
CAS: 74-98-6 EINECS: 200-827-9 Reg.nr.: 012119486944-21-xxxx	propane	🚸 Flam. Gas 1, H220 Press. Gas C, H280	1-2.5%
CAS: 106-97-8 EINECS: 203-448-7 Reg.nr.: 01-2119474691-32-xxxx	butane (< 0.1% butadine)	🚸 Flam. Gas 1, H220 Press. Gas C, H280	1-2.5%

• Ingredients according to Detergents Regulation 648/2004/EC For the wording of the listed hazard phrases refer to section 16.

# **SECTION 4: First aid measures**

• 4.1 Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

• After inhalation: No special measures required.

· After swallowing: Seek immediate medical advice.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

# **SECTION 5: Firefighting measures**

5.1 Extinguishing media

- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- Protective equipment: No special measures required.
- · Additional information Cool endangered receptacles with water spray.

#### **SECTION 6:** Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

• 7.1 Precautions for safe handling Keep away from heat and direct sunlight.

· Information about fire - and explosion protection:

Do not spray onto a naked flame or any incandescent material.

(Contd. on page 3)

(Contd. of page 1)

<sup>· 3.2</sup> Chemical characterisation: Mixtures

GB -

Printing date 28.11.2019

Version: 6

Revision: 28.11.2019

#### Trade name: PROTEND

Keep ignition sources away - Do not smoke.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
- Requirements to be met by storerooms and receptacles:
- Observe official regulations on storing packagings with pressurised containers.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep receptacle tightly sealed.
- Protect from heat and direct sunlight.
- · 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

- Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:			
56-81-5 glycerol (1-2.5%)			
WEL (Great Britain) Long-term value: 10 mg/m <sup>3</sup>			
106-97-8 butane (< 0.1% butadine) (1-2.5%)			
WEL (Great Britain) Short-term value: 1810 mg/m <sup>3</sup> , 750 ppm			
Long-term value: 1450 mg/m <sup>3</sup> , 600 ppm			
Carc (if more than 0.1% of buta-1.3-diene)			
Additional information: The lists valid during the making were used as basis.			
· 8.2 Exposure controls			
Personal protective equipment:			

- · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed.
- Wash hands before breaks and at the end of work.
- · Respiratory protection: Not required.
- Protection of hands: Generally the product does not irritate the skin.
- Material of gloves Not required.
- · Penetration time of glove material Not required.

# **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and cl General Information	
Appearance:	
Form:	Aerosol
Colour:	White
Odour:	Characteristic
Odour threshold:	Not determined.
pH-value at 20 °C:	7
Change in condition Melting point/freezing point: Initial boiling point and boiling range.	Undetermined. >103 °C
Flash point:	-97 °C
Flammability (solid, gas):	Not applicable.
Ignition temperature:	470 °C
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	<i>Product is not explosive. However, formation of explosive air/vapour mixtures are possible.</i>

(Contd. of page 2)

Version: 6

Printing date 28.11.2019

Revision: 28.11.2019

### Trade name: PROTEND

	(Contd. of pag
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure at 20 °C:	23 hPa
Density at 20 °C:	$l g/cm^3$
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
water:	Fully miscible.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	8.6 %
Swiss VOC:	7.50 %
9.2 Other information	No further relevant information available.

# **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.

(Contd. on page 5)

Revision: 28.11.2019

(Contd. of page 4)

# Safety data sheet according to 1907/2006/EC, Article 31

Version: 6

Printing date 28.11.2019

Trade name: PROTEND

• 12.6 Other adverse effects No further relevant information available.

**SECTION 13: Disposal considerations** 

• 13.1 Waste treatment methods • Recommendation Disposal must be made according to official regulations

• Uncleaned packaging: • Recommendation: Disposal in accordance with administrative provisions

SECTION 14: Transport information	
14.1 UN-Number	
ADR, IMDG, IATA	UN1950
14.2 UN proper shipping name	
ADR	1950 AEROSOLS
IMDG	AEROSOLS
IATA	AEROSOLS, flammable
14.3 Transport hazard class(es)	
ADR	
Class	2 5F Gases.
Label	2.1
IMDG, IATA	
Class	2.1
Label	2.1
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards:	N.
Marine pollutant:	No
14.6 Special precautions for user	Warning: Gases.
Danger code (Kemler):	-
EMS Number:	F-D,S-U SW1 Protostad from sources of heat
Stowage Code	SW1 Protected from sources of heat. SW2 Clear of living quarters.
Segregation Code	SG69 For AEROSOLS with a maximum capacity of 1 litre:
	Segregation as for class 9. Stow "separated from" class 1 exce
	for division 1.4.
	<i>For AEROSOLS with a capacity above 1 litre:</i>
	Segregation as for the appropriate subdivision of class 2.
	For WASTE AEROSOLS:
	Segregation as for the appropriate subdivision of class 2.
14.7 Transport in bulk according to Annex II of the IBC Code	<b>f Marpol and</b> Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	IL
Excepted quantities (EQ)	Code: E0
_	Not permitted as Excepted Quantity
Transport category	2

Printing date 28.11.2019Version: 6Revision: 28.11.2019

Trade name: PROTEND			
	(Contd. of pa	age 5)	
· Tunnel restriction code	D		
· IMDG · Limited quantities (LQ)	1L		
Excepted quantities ( $\widetilde{EQ}$ )	Code: E0 Not permitted as Excepted Quantity		
· UN "Model Regulation":	UN 1950 AEROSOLS, 2.1		

# **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Reg. (EC) n. 1272/2008 - CLP;

Reg. (EC) n. 1907/2006 – Reach; Reg. (EC) n. 2015/830 annex II of REACH; Reg. (EC) n. 648/04 (Detergents); Reg. (EC) n. 528/12 (Biocides BPR); Reg. (EC) n. 1223/2009 (Cosmetics); Dir. 06/08 ADR – RID - IMDG - IATA; Dir. 47/08 (Aerosols); Dir. 12/18 (Seveso III); Dir. 2008/98/CE and Reg. (EC) n.1357/2014 (Waste management)

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Seveso category P3a FLAMMABLE AEROSOLS

• Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t

- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

· National regulations:

• Technical instructions (air):

Class Share in % NK 5-10

• Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### · Relevant phrases

H220 Extremely flammable gas. H280 Contains gas under pressure; may explode if heated.

## • Department issuing SDS:

Customer Service NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395 IT: Tel: +39 069 266 91Fax: +39 06.927 470 61 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

#### · Contact:

Customer Service NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395 IT: Tel: +39 069 266 91Fax: +39 06.927 470 61 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

#### Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

(Contd. on page 7)

GB

Version: 6

Printing date 28.11.2019

Revision: 28.11.2019

#### Trade name: PROTEND

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Gas 1: Flammable gases – Category 1 Aerosol 1: Aerosols – Category 1 Press. Gas C: Gases under pressure – Compressed gas • \* Data compared to the previous version altered.

(Contd. on page 8)

GB

(Contd. of page 6)

Version: 6

Printing date 28.11.2019

# Trade name: PROTEND

# Annex: Exposure scenario

Short title of the exposure scenario
For the finished product.
FILUBE AERO
PROTEND
Sector of Use SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
• Product category PC39 Cosmetics, personal care products
• Description of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet.
· Conditions of use
· Duration and frequency 5 workdays/week.
· Physical parameters
· Physical state Aerosol
• Concentration of the substance in the mixture The substance is main component.
· <b>Used amount per time or activity</b> According to directions for use.
· Other operational conditions
• Other operational conditions affecting environmental exposure No special measures required.
• Other operational conditions affecting worker exposure
Take precautionary measures against static discharge.
Keep away from sources of ignition - No smoking.
• Other operational conditions affecting consumer exposure Keep out of the reach of children.
• Other operational conditions affecting consumer exposure during the use of the product Not applicable.
· Risk management measures
· Worker protection
• Organisational protective measures No special measures required.
• Technical protective measures Provide explosion-proof electrical equipment.
• <b>Personal protective measures</b> The usual precautionary measures are to be adhered to when handling chemicals.
· Measures for consumer protection
Ensure adequate labelling.
Keep locked up and out of the reach of children.
· Environmental protection measures

- Water No special measures required.
- · Disposal measures
- *Disposal in accordance with administrative provisions*
- Ensure that waste is collected and contained.

• Disposal procedures Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Waste type Partially emptied and uncleaned packaging
- Exposure estimation
- Consumer Not relevant for this Exposure Scenario.
- Guidance for downstream users No further relevant information available.

(Contd. of page 7)

Revision: 28.11.2019

GB